## **EXPRESS MAIL LABEL # EL822429133US**

Form PTO-1390 U.S. DEPARTMENT OF COMM	MERCE PATENT AND TRADEMARK OFFICE	ATTORNEYS DOCKET NUMBER					
REV.10-94)		RN99079					
TRANSMITTAL LETTER TO TH	_	U.S. APPLICATION NO. (F NOOMN, SEE 3737 CFR 1 5)					
DESIGNATED/elected office (DC CONCERNING A FILING UNDE	NOTATELOBY 019145						
INTERNATIONAL APPLICATION NO.		PRIORITY DATE CLAIMED					
PCT/FR00/01865	June 30, 2000	July 1st, 1999					
TITLE OF INVENTION							
PROCESS FOR PREPARING ORGANOZINC DERIVATIVES ELECTROCHEMICALLY, COMBINED WITH CATALYSIS WITH COBALT SALTS							
APPLICANT (S) FOR DO/EO/US		SIS WITH CUBALI SALIS					
JACQUES PERICHON, COR	INNE GOSMINI AND YOL						
Applicant herewith submits the United St							
1  This is a FIRST submission of iter	ns concerning a filing under 35 U S	C 371					
2 ☐ This is a SECOND or SUBSEQU 3 ☒ This express request to begin nat	ENT submission of items concerning tional examination procedures (35 L	g a filing under 35 U S C 371 J S C 371) (f) at any time rather than delay					
examination until the expiration of	of the applicable time limit set in 35 t	USC 371 (b) and PCT Articles 22 and 39(1)					
4 A proper Demand for International claimed priority date	al Preliminary Examination was mad	de by the 19th month from the earliest					
5 🛛 A copy of the International Applic	cation as filed (35 U S C 371(c)(2))	1					
a. 🔲 is transmitted herewith (	(required only if not transmitted by th	he International Bureau).					
<ul><li>b. ⊠ has been transmitted by</li><li>c. ☐ is not required, as the a</li></ul>	/ the International Bureau. pplication was filed in the United Sta	ates Receiving Office (RO/US)					
6 A translation of the International							
7 🛛 A copy of the International Search	n Report (PCT/ISA/210)						
8 Amendments to the claims of the							
<ul><li>a.  are transmitted herewith</li><li>b.  have been transmitted by</li></ul>	n (required only if not transmitted by y the International Bureau	the International					
c. have not been made, ho	owever the time limit for making such	h amendments has NOT expired.					
d. Mave not been made and							
9 A translation of the amendment	s to the claims under PCT Article 19	9 (35 U S C 371(c)(3)).					
10 An oath or declaration of the inv	ventor(s) (35 U S C 371(c)(4)). <b>(sig</b>	ned)					
11 A copy of the International Preli	minary Examination Report (PCT/IP	PEA/409).					
12 A translation of the annexes to the	e International Preliminary Examina	ation Report under PCT Article 36					
(35 U S C 371(c)(5)).  Items 13 to 18 below concern docum	ent(s) or information included:						
13 An information Disclosure Statem	nent under 37 CFR 1 97 and 1 98						
14 An assignment document for reco	ording A separate cover sheet in co	ompliance with 37 CFR 3 28 and 3 31 is					
included  15 A FIRST preliminary amendment	:						
16 A SECOND or SUBSEQUENT	preliminary amendment						
17 A substitute specification.							
18 A change of power of attorney at	nd/or address letter						
19	s Mail						
20 🖸 Other items or information							
Forms PCT/IB/306, 308 and 332 PCT/IPEA/ 409 and 416 (English							

US APPLICATION NO	1 - Owk sQ1 - I = 9 1 4 5	International Applic PCT/FR00/018		ATTORNEY DO RN99079	CKET NUMBER
				CALCULATION	S PTO ONLY
BASIC NATIONAL FEE  Neither international Intenational search	ses are submitted: E (37 CFR 1.492 (a) (1) - (5)): al preliminary examination fee of fee (37 CFR 1.445(a)(2) paid search Report not prepared by	to USPTO	\$1,040.00		
	inary examination fee not paid h Report prepared by the EPC		890.00		
	nary examination fee (37 CFF arch (37 CFR 1,4445 (a)(2)) fe		740.00		
	nary examination fee paid to to tastisfy provisions of PCT Ar		\$ 710.00		
and all claims satisf	nary examination fee paid to lied provisions of PCT Article 3 TER APPROPRIATE BASIC	33(2)-(4)	\$ 100.00		
	or furnishing the oath or declar t claimed priority date (37 CFI		□ 30	\$ 890.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$ 0.00	
Total Claims	13-20=	0	X\$18.00	\$ 0.00	
Independent Claims	4-3=	0	X\$80.00	\$ 80.00	
MULTIPLE DEPENDEN	IT CLAIMS(S) (if applicable)			\$ 0.00	
Dadratian by 410 for file		TOTAL OF ABOVE O		\$ 970.00	
be filed (Note 37 CFR 1	ng by small entity, if applicable .9, 1.27, 1.28)	e. Verified Small Entity S	tatement must also	\$ 0.00	
			SUBTOTAL =	\$ 970.00	
	00 for furnishing the English t d priority date (37 CFR 1,492		20 30 months	\$ 0.00	
nom the eathest claimet	phoney date (57 CFN 1,432		NATIONAL FEE =	\$ 970.00	
Fee for recording the en	closed assignment (37 CFR1	.21(h)). The assignment	must be		
accompanied by an app	ropriate cover sheet (37 CFF			\$ 40.00	
		TOTAL FEE	S ENCLOSED =	\$ 1,010.00	
				Amount to be refunded	\$
				charged	\$
				_	
a	mount of \$ to co	ver the above fees is encl	osed		
b 🛛 Please charge n	ny Deposit Account No. 18-1	171 in the amount of \$1	,010.00 to cover th	e above fees.	` i
	ner is hereby authorized to ch Deposit Account No. 18-1171			d, or credit any	:
	opriate time limit under 37 C granted to restore the applic			ion to revive (37 (	CFR 1.137 (a) or
SEND ALL CORRESPO John A. SHEDDEN RHODIA INC.	ONDENCE TO:	SIGNATURE  John A. S		(	
259 Prospect Plains Re	oad	NAME		_	
CN 7500 Cranbury, NJ 08512		25,64	14		
December 20,2	2001	REG	ISTRATION NUMBER	₹	

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Application of: Jacques PERICHON, Corinne GOSMINI and Yolande

**ROLLIN** 

National Phase of PCT/FR00/01865

Examiner: N/A

**International Filing Date: June 30 2000** 

Serial No: To be assigned

Art Unit: N/A

Filing Date: To be assigned

For: PROCESS FOR PREPARING ORGANOZINCIC DERIVATIVES ELECTROCHEMICALLY, COMBINED WITH CATALYSIS WITH

COBALT SALTS.

Commissioner for Patents Washington, D.C. 20231

#### PRELIMINARY AMENDMENT

Dear Sir:

Prior to calculation of filing fee, please enter the following amendment in the

specification and claims:

In the Specification:

Page 1, just after the title, please add the new following paragraph:

This application is an application under 35 U.S.C. Section 371 of International

Application Number PCT/FR00/01865 filed on June 30, 2000.

In the Claims:

Please cancel claims 1-10, and replace them with the following new claims 11-23.

11. (New) A process of electrolytic synthesis of organozine compounds, comprising the use of a catalytically amount of cobalt.

12. (New) The process according to claim 11, wherein, the organozine compound is an aryl or vinyl organozine compound.

RN99079 Preliminary Amendment PCT/FR00/01865

- 13. (New) The process according to claim 11, wherein cobalt is present in an electrolyte in oxidation state II.
- 14. (New) The process according to claim 11, wherein cobalt is present in a coordinated form.
- 15. (New) The process according to claim 14, wherein cobalt is coordinated with a solutant or solvent compound that has a high donor number.
- 16. (New) The process according to claim 15, wherein the solutant or solvent compound comprises an atom having a high donor number, selected from the group consisting of atoms of the nitrogen column.
- 17. (New) The process according to claim 11, wherein cobalt is coordinated with a specific ligand.
- 18. (New) The process according to claim 17, wherein the ligand comprises a function selected from the group consisting of pyridine, nitrile, phosphine, stibine and imine functions.
- 19. (New) A composition for electrolytic use, comprising a cobalt salt, a zinc salt, a solvent and a cobalt ligand.
- 20. (New) A process for the electrolytic synthesis of an organozine compound, comprising the step of subjecting to an electrolysis on an inert cathode a composition comprising a cobalt salt, a zinc salt, a solvent, a cobalt ligand, and an organic halide.
- 21. (New) A process according to claim 20, wherein the organozinc compound is an aromatic or vinyl organozinc compound.
- 22. (New) An aromatic organozine compound comprising:

## RN99079 Preliminary Amendment PCT/FR00/01865

- an sp2 carbon atom,
- at least one aniline group not more than monosubstituted,
- an SO<sub>2</sub> group, and
- a zinc-bearing function,

wherein the aniline group, the  $SO_2$  group, and the zinc-bearing function are bounded to the sp2 carbon atom.

23. (New) An aromatic organo zinc compound according to claim 22, wherein the sp2 carbon atom is comprised in an aromatic group.

## **REMARKS**

The preliminary amendments are filed to comply with the claims structure and wording according to the United States Patent law. It is asserted that these amendments do not add new matter. Support for these amendments can be found in the specification and claims as originally filed.

Entry of these amendments is respectfully requested.

Respectfully submitted,

December 20, 2001

Rhodia Inc. 259 Prospect Plains Road CN7500 Cranbury, NJ 08512

F/RN99079 Prelim Amend.doc

JOHN A. SHEDDEN

Registration No. 25,644 Tel: (609) 860-4190

Fax: (609) 860-0503

531 Rec'd PCT 20 DEC 2001

DOCKET NO. RN99079

SUEETLSP93

1

PCT/FR00/01865

# PROCESS FOR PREPARING ORGANOZINC DERIVATIVES ELECTROCHEMICALLY, COMBINED WITH CATALYSIS WITH COBALT SALTS

The present invention relates to a novel 5 process for synthesizing aryl organozinc derivatives. The invention relates more particularly to the electrolytic synthesis of aryl organozinc derivatives, in the catalytic presence of the element cobalt.

The reactivity of organozinc reagents, 10 especially aryl organozinc reagents, shows many specificities which would make them particularly advantageous in many organic synthesis operations. However, they are difficult to obtain and are often prepared from organometallic reagents made with more 15 electronegative metals, that is to say more reductive metals.

In addition, most of the techniques require the use of highly aprotic and especially very dry media.

- 20 In particular, reactions for the electrolytic synthesis of organozinc reagents present the risk of two unwanted reactions: firstly, the reduction reaction to give a hydrogenated derivative, and secondly, a coupling reaction (formation of biaryl).
- 25 A certain number of tests have been conducted in an attempt to perform this synthesis electrolytically. The tests that were the most

the the state of the that state Hall had done from the the

20

25

conclusive were performed by some of the authors of the present invention.

Mention may be made more particularly,
firstly, of the general textbook "Organozinc reagent, a
practical approach" (Paul KNOCHEL and Philip JONES
Editors, Oxford University Press, December 1998). More
particularly, a synthetic route is described therein in
chapter 8 by S. SIBILLE, V. RATOVELOMANANA and
J. PERICHON (see also Journal of Chemical Society
Chemical Communications, 1992, 283-284) and the article
by C. GOSMINI, J.Y. NEDELEC and J. PERICHON
(Tetrahedron Letters, 1997, 38, 1941-1942).

In these articles, the only route that is described therein is the use of very specific nickel complexes as electrolytic synthesis catalysts, in a limited number of media. However, the use of these nickel complexes, although constituting an important innovation, does not generally make it possible to achieve high yields relative to the haloaryl substrate.

Accordingly, one of the aims of the present invention is to provide a process for obtaining organozinc derivatives in good yields, both in terms of reaction yields (RY) and degrees of conversion (DC). In other words, one of the aims of the present invention is to provide a technique which allows the conversion of the substrate with good selectivity (CY).

Another aim of the present invention is to provide a technique for reducing the reduction and coupling reactions.

Another aim of the present invention is to provide a route that is capable of catalyzing the electrolytic synthesis reaction of aryl organozinc reagents, starting with the corresponding halo derivatives.

These aims and others, which will emerge

10 hereinbelow, are achieved by means of using cobalt as a

catalyst in the electrolytic synthesis of arylzinc

compounds.

According to the present invention, it has been shown that cobalt can be introduced especially into the electrolyte in oxidation state II. Admittedly, cobalt can also be introduced in the form of cobalt III, but, since the medium is a reductive medium, this form will have a tendency to disappear very rapidly to be converted into various species, and especially into cobalt II. The state and form of the catalytically active cobalt have not been completely elucidated.

According to one preferred embodiment of the present invention, it is desirable to use cobalt in the presence of at least one of its ligands.

The coordination of the cobalt is advantageously performed with compounds (solvents or solvating agents) that have a high donor number. More

specifically, it may be pointed out that it is preferable that the donor number D of these solvents should be greater than or equal to 10, preferably less than or equal to 30, and advantageously between 20 and 30, the limits being included. The said donor number corresponds to the ΔH (variation in enthalpy), expressed in kilocalories, of the combination of said aprotic polar solvent or of said ligand, with antimony pentachloride. This is described more specifically in the book by Christian REINHARDT: "Solvents and Solvent Effects in Organic Chemistry - VCH, page 19, 1988". Said page gives a definition of the donor number.

It has been shown, in the course of the study which led to the present invention, that very good

15 results are obtained when the atom coordinating to the cobalt is an atom from the nitrogen column, and advantageously nitrogen. In this case, it is preferable that the ligand atom should not bear an electric charge.

When a specific coordinating agent is used, which does not act as solvent, pyridine, nitrile, phosphine, stibine and imine, or even oxime, functions or groups may be mentioned.

When unidentate (or monodentate) ligands are
25 used, it is desirable to use in the electrolyte a molar
ratio between the ligand(s) and the cobalt which is
high ([lig]/[Co] of about 10 and advantageously ≥ about

100); there is usually no upper limit since the ligands may serve as solvent.

When bidentate or multidentate ligands are used, it is possible to decrease the lower limit to ratios at least equal to 2, advantageously to 4 and preferably to 6, but more preferably to 8.

To be efficient, it is desirable that the cobalt should be present at a minimum concentration at least equal to 10<sup>-3</sup> M. To be economical, it is preferable that the cobalt should not be too concentrated; thus, it is preferred that the cobalt content should be not more than 0.2 M.

The reaction medium advantageously comprises a solvent; this solvent should be polar enough to

15 dissolve the metals or, more exactly, the metal salts used, and it should be lipophilic enough to at least partially dissolve the substrates from which it is desired to form the organozinc reagent.

It is preferable to use solvents that are

20 sufficiently low in acidity (it is desirable that their

pKa should be at least equal to 16, advantageously to

20 and preferably to 25), so that the reactions with

hydrogen are as limited as possible. Thus, primary

alcohols are too acidic to give very good results.

25 More specifically, the solvents that will be preferred are "polar aprotic" solvents such as, for example, alone or as a mixture:

5

- purely oxygenated solvents, in particular ethers, preferably polyethers such as 1,2-dimethoxyethane or cyclic ethers such as THF or dioxane;
- amides or ureas (DMF, N-methyl-2-pyrrolidone, imidazolidone, tetramethylurea, dimethoxypropyleneurea, etc.);
- sulfones (for example sulfolane) or sulfoxides (such as DMSO); and
- provided that they are liquid under the operating
   conditions, nitrogenous derivatives, nitrogenous heterocycles, especially pyridine, and compounds containing a nitrile function (for those that are preferred, see below); and
- provided that they are liquid under the operating conditions, complexing agents (crown ether, HMPT, tris(3,6-dioxaheptyl)amine (TDA-1)), which improve the correct functioning of the reaction by increasing the conductivity, increasing the reactivity of the anion and preventing the deposition of metal at the cathode.

Without this explanation being limiting, it would appear that these advantageous phenomena are correlated with the ability to complex the metal cations or as a mixture.

As has been mentioned previously, the solvents used may themselves act as complexing agents or ligands. They may especially, and advantageously,

contain one or more of the coordination functions mentioned above.

The solvent may be a mixture of an apolar solvent and a polar solvent as defined above by the donor number.

To make the products easier to separate from the reaction media, it is preferable that said solvent should have a boiling point that is substantially different from the compound to be synthesized and from the starting compound.

To facilitate the reaction and to improve the conductivity of the medium, saline electrolytes, occasionally referred to as base salts, optionally modified by the presence of complexing agents, are generally used. These electrolytes are chosen so as not to disrupt the reactions at the anode and the cathode.

According to one of the preferred embodiments of the present invention, an excess of zinc cation, relative to the stoichiometrically required amount, may be used as base salt, advantageously in the form of a fully dissociated salt (in general corresponding to an acid whose pKa is at most equal to 3, advantageously to 2, preferably to 1 and more preferably to zero).

When a soluble anode is used, the electrolyte
25 may be chosen so as to have as cations those
corresponding to the metals of the anode.

The electrolyte may be chosen so as to have as cations metals of high transporting power such as

divalent and advantageously trivalent metals, of the type such as aluminum, on condition that this does not disrupt the base reaction.

As metals used in the base salts, it is desirable to use those that have, besides the stage 0, only one stable oxidation state.

The electrolyte may be chosen such that these cations are directly soluble in the reaction medium.

Thus, when the medium is sparingly polar, rather than making the metal cations soluble by means of adjuvants, it may be advantageous to use "oniums" that are stable in the electrical inactivity range.

The term "onium" means positively charged organic compounds, the name attributed to them by the nomenclature comprising an "onium" affix, generally a suffix (such as sulfonium [trisubstituted sulfur], phosphonium [tetrasubstituted phosphorus], ammonium [tetrasubstituted nitrogen]). The ones most frequently used are tetraalkylammoniums; the alkyl groups taken in their etymological sense generally contain from 1 to 12 carbon atoms and preferably from 1 to 4 carbon atoms. Phase-transfer agents may also be used.

The anions may be any common anions for inert electrolytes, but they are preferably chosen either

from those released by the reaction, essentially halides, or, for example, from complex anions such as perfluoro bis-sulfonimides, BF<sub>4</sub>, PF<sub>6</sub> or ClO<sub>4</sub>. As a guide, it should be pointed out that DMF, used with, as

Another aim of the present invention is to

a base salt, tetrabutylammonium tetrafluoroborate at a concentration of 0.01 M, gives good results.

provide a medium that may be used to perform the

5 electrolysis and to give organozinc reagents. This aim
has been achieved by means of a composition comprising
at least:

- one cobalt salt,
- one zinc salt,
- 10 one conductive solvent, or a solvent that is made conductive, and
  - one cobalt ligand.

The solvent and the cobalt ligand may be one and the same species, and even a single compound when the solvent is a single compound.

The cobalt content is advantageously between  $2\times 10^{-1}$  and  $10^{-1}$  M and preferably between  $5\times 10^{-3}$  and  $5\times 10^{-2}$  M (closed interval, that is to say limits included).

Not taking into account the organozinc reagents formed, the zinc content is advantageously between 0.05 M and the solubility limit in the medium.

When a soluble zinc anode is not used, it may be envisaged that a solid phase consisting of zinc salt(s) is present.

Said composition, when it is used to prepare organozinc reagents, also comprises an aryl halide whose preferred chemical characteristics will be given

later. This aryl halide is advantageously present in a concentration of from 0.1 to 1 M.

It is desirable that the molar ratio

(dissolved species, needless to say not taking into

5 account the organozinc reagents formed) of zinc to

cobalt is between 100 and 1 and preferably between 10

and 2 (closed interval, that is to say limits

included).

It is also recommended that the molar ratio

(needless to say dissolved species, not taking into
account the organozinc reagents formed) of zinc to aryl
halide should be between 0.05 and 4 and preferably
between 0.01 and 2 (closed interval, that is to say
including the limits). The lowest values correspond to
the case in which a soluble zinc anode is used.

According to one advantageous embodiment of the invention, the intensity and area of the reactive electrode, more exactly of the electrode at which the reaction takes place, are chosen such that the current density  $\boldsymbol{j}$  is between 5 and 5 × 10<sup>2</sup> A/m<sup>2</sup> and preferably between 20 and 200 A/m<sup>2</sup> (closed interval, that is to say including the limits).

By routine tests, a person skilled in the art can determine the reduction potential of cobalt in the reaction medium and that of the aryl halide. Once this determination is done, it will preferably be between the reduction potential of cobalt and that of the aryl halide.

The substrates which may be converted into organozinc reagents by the present invention represent a wide range of compounds. The halides are generally halides corresponding to relatively heavy halogens, that is to say halogens heavier than fluorine.

It may also be mentioned as an indication that, when the halogen is linked to an electron-poor aromatic nucleus, it is preferable to use bromines or chlorines as halogen, chlorines being reserved for the nuclei that are particularly electron-poor. If the condition is satisfied by six-membered heterocycles, in the case of homocyclic aryls, to use a chloride, it is preferable that the sum of the Hammett constants  $\sigma_p$  of the substituents (not taking the leaving halide into account) should be at least equal to 0.40 and preferably to 0.50. On the other hand, the nuclei that are particularly electron-rich may use iodine as halide.

For further details regarding the Hammett 20 constants, reference may be made to the 3rd edition of the textbook written by Prof. Jerry March "Advanced Organic Chemistry" (pages 242 to 250) and published by John Wiley & Sons.

The five-membered heterocycles comprising a

25 chalcogen as hetero atom (such as furan and thiophene)

have a large capacity to be converted into zinc

reagents, show separate reactivity, and are always

readily converted into zinc reagents. As a result, the

use of cobalt is less critical. In their case, the element cobalt makes it possible to obtain a monozinc reagent from dihalo compounds of the same rank.


The electron-poverty of the nucleus may be due either to the presence of electron-withdrawing groups as substituents, or, in the case of six-membered nuclei, to the replacement of a carbon with a hetero atom. In other words, the electron-poor nucleus may be a six-membered heterocyclic nucleus, especially heterocyclic nuclei containing an atom from the nitrogen column and more particularly nitrogen.

Among the electron-withdrawing groups that give good results, mention should be made of acyl groups, nitrile groups, sulfone groups, carboxylate

15 groups, trifluoromethyl groups or, more generally, perfluoroalkyl groups and halogens lower in rank than the halide which will be converted into an organozinc reagent. When the substituents are halogens of the same rank, a diorganozinc reagent is generally formed. These diorganozinc reagents constitute novel compounds and correspond to the general formulae below in which X and R both represent zinc-bearing groups.

Among the donor groups, that is to say groups giving mediocre results with chlorine but good results with bromine, mention may be made of alkyloxy groups, alkyl groups, amine groups and dialkylamine groups.

The aromatic derivative which is the substrate in the present process advantageously corresponds to the following formula:



## 5 in which:

- Z represents a trivalent chain unit  $-C(R_1)=$ , an atom from column V, advantageously a nitrogen;
- X represents the leaving halogen;
- A represents either a chain unit chosen either

  from the groups ZH or from chalcogens


  advantageously at least equal in rank to that of


  sulfur, or from the two-membered divalent


  unsaturated groups CR<sub>2</sub>=CR<sub>3</sub>, N=CR<sub>2</sub>, CR<sub>2</sub>=N.

Insofar as they are borne by contiguous 15. atoms, two of the radicals R,  $R_1$ ,  $R_2$  and  $R_3$  may be linked to form rings.

Thus, the aryls may especially be of formula:







in which Z1 is chosen from the same meanings as those 20 given for Z.

The radicals  $R_1$ ,  $R_2$  and  $R_3$  are chosen from the substituents mentioned above and especially:

 electron-withdrawing groups, in particular acyl groups, nitrile groups, sulfone groups, carboxylate groups, trifluoromethyl groups or, more generally, perfluoroalkyl groups and halogens of a lower rank than the halide which will be converted into an organozinc reagent;

donor groups, especially aryloxy or alkyloxy groups, hydrocarbyl groups such as aryls and alkyls (the latter word being taken in its etymological meaning) and amine groups, including groups monosubstituted and disubstituted with hydrocarbon-based alkylamine groups.

It is desirable that the substrates should contain not more than 50 carbon atoms, advantageously not more than 30 carbon atoms and preferably not more than 20 carbon atoms.

Among the substrates that are particularly advantageous are halides, preferably arylchlorides, bearing, especially in the metaposition, an aliphatic carbon (that is to say an sp<sup>3</sup> carbon) bearing at least two fluorines. For example, the halides are preferably trifluoromethylaryl chlorides.

This process for synthesizing organozinc reagents may be extended, firstly to all organozinc reagents linked to sp<sup>2</sup>-hybridized carbon atoms and especially to the synthesis of organozinc reagents from vinyl halides, especially when these vinyl halides are conjugated with aromatic nuclei.

15

20

Although the technique is economically much less advantageous, it may also be advantageous to note that it can also be transposed to aliphatic halides.

One of the advantages of the present

5 invention is that it requires only complexing agents or ligands that are readily available, such as nitriles (preferably aromatic or bidentate) or pyridines and derivatives of the pyridine nucleus, such as quinoline.

Moreover, bipyridyls, being bidentate, also give good

10 results as ligands that are different from the solvent.

Although the bis-nitriles are capable of acting as bidentate ligands, they are poor complexing agents and should be used in high proportions of the same order as the monodentate ligands. They give good results.

It is desirable, in order to avoid the medium being too acidic, that the bis-nitriles constituting the solvent, some of the solvent, or the ligand, should be such that, via the most direct pathway, two nitrile functions are separated by at least two carbons and advantageously three carbons.

Dinitroalkylenes in which the alkylene group contains from 2 to 8 carbon atoms give good results.

Mention may be made especially of glutaronitrile,

methylglutaronitrile, adiponitrile, pimelonitrile and suberonitrile.

Another advantage of the present invention is its ability to be performed readily at room temperature and, more generally, at a temperature below 50°C.

Finally, the reaction does not require an inert electrolyte, since the zinc salt can be used as inert electrolyte.

Soluble zinc anodes may be used in this technique.

The present invention produces families of
organozinc compounds corresponding to the preceding
substrate formulae in which X has been replaced with a
zinc-bearing function (generally noted -Zn- X' in which
X' is halogen) which it has not been possible to obtain
previously. Among the families of interest which it has
not been possible to synthesize previously, mention
should be made of the compounds derived from the
preceding substrate formulae in which one of the
radicals R, R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> is a monosubstituted and
especially an unsubstituted aniline function.

Mention may also be made of compounds in which one of the radicals R,  $R_1$ ,  $R_2$  and  $R_3$  is a group bearing a sulfone group  $(-SO_2-)$ , including sulfonates, that is vicinal to the aromatic nucleus, that is to say that it is adjacent to it.

25 Finally, the dizinc compounds in which R is a zinc-bearing group.

The characteristics of these families may be cumulated to form preferred subfamilies.

The non-limiting examples which follow illustrate the invention.

## General procedure (condition A)

## Apparatus

5 Single-compartment electrolysis cell equipped with a zinc anode and a nickel sponge cathode (gold or stainless steel cathodes may also especially be used).

Solvent: dimethylformamide/pyridine (45 ml/5 ml)

Ambient temperature (20 to 25°)

10 Aryl halide: 10 millimoles

Cobalt chloride: 1 millimole

Zinc bromide: 2.5 millimoles

Constant current: 0.2 A

No inert electrolyte

15 Electrode area: 20 cm<sup>2</sup>

Electrolysis time: 2 hours

The conditions differing from the general procedure are specified in the tables below, which give a sample of the results obtained.

The asterisk \* indicates that the yield measurement was performed by coupling the organozinc reagent with phenyliodide.

Table 1

In the case of aromatic halides

with FG = electron-donating group

۰	

FGArX	FGArZnX %	ArH %	ArAr	Comments
PhCI	6	?	0	84% PhCl
PhBr	70	?	0	remaining
Phl	20	Majority	0	All the PhI consumed
CH3O——Br	82	18	O	
OCH <sub>3</sub>	75	21	o	
OCH <sub>3</sub>	62	37	0	
сн,о-С	6	20		74% ArCl remaining
CH <sub>2</sub> O——Bt	75	25	o	FG-Ar-Ph 70% Isolated*
N——Br	90	0	О	FG-Ar-Ph 85% Isolated*
H-N-B1	85		0	

# Table 2

In the case of aromatic halides

with FG = electron-withdrawing group

FGArX	ArZnX	ArH	ArAr	Comments
FUAIX	%	AIN	AIAI	Conneries
MeO <sub>z</sub> S—Ca	90	ε	0	FG-Ar-Ph 80% Isolated
EtO <sub>2</sub> C———Br	85			
Br	58			19% ArBr remaining
F <sub>3</sub> C—Br	70			
Br—Br	70 only ZnBr—ZnBr			
C1—Br	60 monozinc derivative (CIPhZnBr)			
F—Br	79			
CH-C-Br	25		The state of the s	disappearance of ArBr

## Example 3

ArX	ArZnX %
O <sub>N</sub> CI	50
N Br	25
S Br	67
S Br	25
Br—SBr	20 (monozinc derivative)

5

In general, the thiophene derivatives show exceptional reactivity and it was possible in this case to perform a monoconversion of a dibromo derivative.

## Example 4

10

In the case of aliphatic halides

Table 4

		TIPHACIC HATIA	
RX	RZnX	RH	RY
	olo	9	
CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> Br	30	40	
Br(CH <sub>2</sub> ) <sub>3</sub> COOEt	42		

## Example 5

Table 5

	TU	the	case	OI	$\Delta TU \Delta T$	narrue	
71 611	~	_			-	OF OUR CITED D	450

The tests below were carried out by varying

5 the operating conditions such as the nature of the anode, the concentration of catalyst, the concentration of zinc salts, or by using 2,2'-pyridine as ligand instead of pyridine.

## 10 Example 6

## Table 6

ArX	ArZnX	Conditions
CHC	75	CoCl <sub>2</sub> , 1 eq, ZnBr <sub>2</sub> , 2 eq, other conditions identical to A.
	50	CoCl <sub>2</sub> 0.2 eq, other conditions identical to A.
	75	$CoCl_2$ , 0.4 eq, other conditions identical to A.
	50	2 Bpy per Co, absence of pyridine, other conditions identical to A.
CH <sup>2</sup> -C-CI	77	${\rm ZnBr_2}$ , 2 eq, ${\rm CoCl_2}$ , 1 eq, other conditions identical to A
NC—( )—Br	48	1 eq $ZnBr_2$ , iron anode, other conditions identical to A.
	70	$ZnBr_2$ , 2 eq, 1 eq $CoCl_2$ , other conditions identical to A.
	70	$ZnBr_2$ , 2 eq, 0.4 eq $CoCl_2$ , other conditions identical to A.
ис-Сі	50	<pre>ZnBr<sub>2</sub>, 2 eq, 0.4 eq CoCl<sub>2</sub>, other conditions identical to A. ZnBr<sub>2</sub>, 2 eq, CoCl<sub>2</sub>, 1 eq, other</pre>
	65	conditions identical to A.

5

		22
CN CI	60	$ZnBr_2$ , 2 eq, $CoCl_2$ , 0.4 eq, other conditions identical to A.
Br	58	ZnBr $_2$ , 2 eq, CoCl $_2$ , 1 eq, other conditions identical to A.
N Br	25	2 Bpy per CoCl <sub>2</sub> , absence of pyridine, other conditions identical to A

## Example 7

# Formation of organozinc reagents from ethyl parabromobenzoate, study of various solvents

THF made conductive with tetrabutylammonium fluoroborate gives good results for organozinc reagents, although slightly lower than in dimethylformamide. The other amides such as dimethylacetamide also give good yields of organozinc 10 reagents. Nitriles such as acetonitrile give as much zinc reagent as when dimethylformamide is used.

### Example 8

The results obtained below were achieved in 15 an acetonitrile/pyridine mixture (45/5). The other conditions were identical to the general conditions.

#### Table 7

Electrosynthesis of organozinc reagents in acetonitrile/pyridine medium (V/V = 9/1)

ArX	ArZnX
CF <sub>3</sub> .—Br	80%
CH <sub>3</sub> -C	57%
CH <sub>3</sub> O <sub>2</sub> S—Cl	90%
EtOOC——B <sub>r</sub>	80%

The use of benzonitrile instead of pyridine (9/1 mixture by volume) also leads to good results under the general conditions. In particular, starting with meta-bromofluorobenzene, a yield of 60% is obtained.

## Example 9

10

1. <u>Ligands other than pyridine and benzonitrile</u>
Starting with pBr-PhCO<sub>2</sub>Et under the general
conditions described above (conditions A), the
following results are obtained:

Solvent	Ligand	BrZnPhCO₂Et		
Acetonitrile (45 ml)	Adiponitrile (5 ml)	75 %		
Acetonitrile (45 ml)	1,2 - dimethoxyethane (5 ml)	65 %		
acetonitrile (45 ml)	H3C-\ON	50 %		
	(5 ml)			

5

- 2. Formation of aromatic and heteroaromatic dizinc reagents from aromatic dihalides (X-Ar-X)
  - General conditions identical to conditions A, but:
  - the solvent is acetonitrile (45 ml)/pyridine (5 ml),
    - CoCl<sub>2</sub> 2 millimoles,
    - electrolysis stopped after 4 Faradays have been
       passed per mole of X-Ar-X (4 hours)

X-Ar-X	X-ArZn (%)	XZn-Ar-ZnX (%)		
Вт—О—Вт	O	70		
Br Br	0	51		
Br Br	0	16		
Br—CH <sub>3</sub> —Br	0	66		
Br Br	O	65		
CH <sub>3</sub> O——Br	0	44		
Br S Br	0	28		
Br S Br	0	28		
Cl—C)—Br	38 Pci-Ph-ZnBr	30		
cı-(O)-cı	28	10		
CI—CF <sub>3</sub>	73	19		
cı—sı—cı	26	2		

25

#### CLAIMS

- The use of cobalt as a catalyst in the electrolytic synthesis of organozinc compounds, advantageously aryl or vinyl organozinc compounds.
- 5 2. The use as claimed in claim 1, characterized in that the cobalt is present in the electrolyte in oxidation state II.
- The use as claimed in claims 1 and 2, characterized in that the cobalt is present in a
   coordinated form.
  - 4. The use as claimed in claim 3, characterized in that the coordination of the cobalt is performed with a solutant or solvent compound that has a high donor number.
- 5. The use as claimed in claim 4, characterized in that the atom responsible for the good donor number is chosen from atoms of the nitrogen column.
- The use as claimed in claims 3 to 5,
   characterized in that the coordination of the cobalt is performed with a specific ligand.
  - 7. The use as claimed in claims 3 to 6, characterized in that said ligand contains functions chosen from pyridine, nitrile, phosphine, stibine and imine functions.

- 8. A composition for electrolytic use, characterized in that it comprises a cobalt salt, a zinc salt, a solvent and a cobalt ligand.
- 9. A process for the electrolytic synthesis
  5 of organozinc reagents, advantageously aromatic or
  vinyl organozinc reagents, characterized in that it
  consists in subjecting a composition as claimed in
  claim 8, also comprising an organic halide, to an
  electrolysis on an inert cathode.
- 10. An aromatic organozinc compound comprising directly linked to an sp2 carbon atom, that is advantageously aromatic, at least one function or group chosen from not more than monosubstituted aniline functions, an SO2 group and another zinc-bearing function.

## Express Mail Label #EL 822429133US

COMBINED DECLARATION (include Reference to PCT In	RN99079		OOCKET NO					
As a below named inventor,	I hereby declare that:							
My residence, post office add	dress and citizenship are as st	ated below next to my name.						
		e name is listed below) or an or I for which a patent is sought or						
	REPARING ORGAN CATALYSIS WITH	OZINC DERIVATIVE	ES	ELECTRO	C	HEMICALLY,		
the specification of which (ch	neck only one item below):							
is attached her	eto.							
☐ was filed as Un	ited States application							
Serial No.								
on								
and was amend	ded							
on(if applicable)								
⊠ was filed as PC	T international application							
Number PCT	FR00/01865							
on <b>June 30, 2000</b>								
and amended under PCT ARTICLE 19								
on	(if applicable).							
I hereby state that I have rev by any amendment referred		tents of the above-identified sp	ecific	cation, including	g th	e claims, as amended		
I acknowledge the duty to dis Code of Federal Regulations		terial to the patentability of this	appl	lication in accor	daı	nce with Title 37,		
application(s) for patent or in the United States of America any PCT international applica	ventor's certificate or of any P listed below and have also ide ation(s) designating at least or	d States Code, §119 of any form CT international application(s) of entified below any foreign appli- te country other than the United ation(s) of which priority is claim	desig catio	n(s) for patent	or i	nventor's certificate or		
PRIOR FOREIGN/PCT APP	LICATION(S) AND ANY PRIC	PRITY CLAIMS UNDER 35 U.S	.C. 1	119:				
COUNTRY PCT indicate PCT	APPLICATION NUMBER	DATE OF FILING (day month year)	UNE	PRIORI DER 35 USC 11		CLAIMED		
FRANCE	99/08480	July 1, 1999		YES		NO		
				YES	Щ	NO		
				YES YES	닏	NO		
,	·			YES	님	NO NO		
		US DEBARTMENT OF (			لـــا			

PTO 1390 (REV.10/83)

US DEPARTMENT OF COMMERCE Patent and Trademark Office

\$ m
£m.
а <sup>ста</sup> я П <sub>ин</sub> ії
μά
r M
ł#
===
M
¥
ļ.
TU .
TU 、
() OL
<b>100</b>
: <u></u>

			ENT APPLICATION  International Applic				RN990	Y'S DOCKET NO <b>79</b>		
applic of this States §1.56	cation(s) designating s application is not d s Code, §112, I acki	the United Statistics that the control of the contr	<ul> <li>United States Code ates of America that it it those prior applicatifuty to disclose matering and date of the prior a</li> </ul>	s/are listed be on(s) in the mail	elow and, in nanner prov n as define	nsofar as the vided by the fi ed in Title 37,	subject matter o rst paragraph of Code of Federal	of each of the claims of Title 35, United Regulations.		
	R U.S. APPLICATION. 120	ONS OR PCT	NTERNATIONAL AP	PLICATIONS	DESIGNA	ATING THE U	S. FOR BENEF	IT UNDER 35		
		U.S. APPLICA	ATIONS		STAT	US (CHECK	ONE)			
U	.S. APPLICATION NUMBER	T T	J.S. FILING DATE			PENDING ABANDONED				
<u> </u>			<del></del>					<del> </del>		
I	- 155 TALFIANA	1						<del> </del>		
PC	T APPLICATIONS I							<del></del>		
APPL	LICATION NO	DATE	US SERIAL NUMBE ASSIGNED (if any							
J								<del> </del>		
BOW	ED OF ATTORNEY	· As a named	inventor, I hereby a	ppoint the fr	llowing of	Horney's and	(or agent(s) to	prosecute this		
appli	cation and transac er) JOHN A. SHE KEVIN McVE	t all business DDEN - Reg IGH – Reg. I	in the Patent and T J. No. 25,644	rademark Of	fice conne	ected therewi	<b>th (</b> List name ar	nd registration		
Send	Correspondence 1	:o:	<del> </del>	· · · · · · · · · · · · · · · · · · ·		Direct Tele	hone Calls to:			
1	in McVEIGH					(name and telephor	ie number)			
	LLECTUAL PRO	PERTY DEP	Т.			Kevin Mc\	ÆIGH			
	DIA INC.		-			(609) 860-	4194			
-	PROSPECT PLAI	NS ROAD.				i				
CN 7										
CRA	NBURY, NJ 085									
201	FULL NAME	PERICHO	NI	FIRST GIVEN  Jacques			SECOND GIVEN	NAME		
<b></b>	OF INVENTOR RESIDENCE &		<u> </u>	STATE OR FO	SEIGN COUN	TRY	COUNTRY OF C	ITIZENSHIP		
1	CITIZENSHIP	SAVIGNY-	SUR-ORGE TEX	FRANCE		11(1	FRANCE	THE CHOIN		
	POST OFFICE ADDRESS	POST OFFICE A	DDRESS e Saint-Sa ns	SAVIGNY	SUR-OR	GE		STATE & ZIP CODE/COUNTRY F-91600, FRANCE		
202	FULL NAME	FAMILY NAME	o dant da no	FIRST GIVEN		==	SECOND GIVEN			
	OF INVENTOR	GOSMINI		Corinne						
	RESIDENCE & CITIZENSHIP	SAVIGNY-	SUR-ORGETR V	FRANCE	REIGN COUN	TRY	COUNTRY OF CITIZENSHIP FRANCE			
	POST OFFICE ADDRESS	POST OFFICE A	DDRESS Chamberlain	SAVIGNY			STATE & ZIP CODE/COUNTRY F-91600, FRANCE			
203	FULL NAME OF INVENTOR	FAMILY NAME ROLLIN		FIRST GIVEN Yolande			SECOND GIVEN NAME			
<b> </b>	RESIDENCE &	CITY	FAIV	STATE OR FOI	REIGN COUN	TRY	COUNTRY OF C	ITIZENSHIP		
1	CITIZENSHIP		SAINT-LEGER			FRANCE				
	POST OFFICE	POST OFFICE A	DDRESS	CITY STATE & ZIP CODE/COUNT						
İ	ADDRESS 20 bis, Rue de la BOISSY-SAINT-LEGER F-94470, FRANCE				FRANCE					
	<u> </u>	Procession					1			
								nformation and belief		
are believed to be true: and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful										
false	statements may jeo	me or imprisor pardize the va	nment, or both, under lidity of the application	section 1001 n or any pate	of tide 18 nt issuing t	hereon.	Jakes Code, a	ng mat such williu		
SIGN	ATURE OF INVENT	OR 201	SIGNATURE OF IN	IVENTOR 20	2	SIGNATUR	E OF INVENTO	PR 203		
DATE December 14th 2001 DATE December 14th 2001										
DATE		E.	DATE December	ور.		DATE		, H. ~		

PAGE 2 OF 2